



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UT 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



CofC

PATENT  
Docket No. 15436.253.86.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Stewart et al.

Serial No.: 10/725,871

Filed: Dec. 2, 2003

Confirmation No.: 2753

For: *CALIBRATION OF A MULTI-CHANNEL  
OPTOELECTRONIC MODULE WITH INTEGRATED  
TEMPERATURE CONTROL*

Examiner: Shih-Chao Chen

Patent No.: 7,039,082 B2

Issue Date: May 2, 2006

Art Unit  
2821

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**

JUN 07 2010

**of Correction**

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this

06/02/2010 EEKUBAY1 00000014 7039082

01 FC:1811

100.00 OP

communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 25<sup>th</sup> day of May, 2010.

Respectfully submitted,




JOHN T. GADD  
Attorney for Applicant  
Registration No.: 52928  
Customer No.: 22913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 28<sup>th</sup> day of May, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 168587 in the amount of \$100

JTG:bv  
2878797\_1



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS



1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT  
Docket No. 15436.253.86.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Stewart et al.

Serial No.: 10/725,871

Filed: Dec. 2, 2003

Confirmation No.: 2753

For: *CALIBRATION OF A MULTI-CHANNEL  
OPTOELECTRONIC MODULE WITH INTEGRATED  
TEMPERATURE CONTROL*

Examiner: Shih-Chao Chen

Patent No.: 7,039,082 B2

Issue Date: May 2, 2006

Art Unit  
2821

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this

communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 25<sup>th</sup> day of May, 2010.

Respectfully submitted,




JOHN T. GADD  
Attorney for Applicant  
Registration No.: 52928  
Customer No.: 22913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 28<sup>th</sup> day of May, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 168587 in the amount of \$100

JTG:bv  
2878797\_1

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,039,082 B2

APPLICATION NO. : 10/725,871

ISSUE DATE : May 2, 2006

INVENTOR(S) : Stewart et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 60, change "standard there" to --standard, there--

Line 61, change "standard there" to --standard, there--

Column 2

Line 40, change "result the" to --result, the--

Column 4

Line 39, after "0.34", change "∴" to --"--

Column 7

Line 51, change "FIG. 4" to --FIG. 6--

Column 11

Line 24, change "100" to --1000--

Line 25, change "100" to --1000--

Column 12

Line 17, before "to about", change "C" to --C.--

MAILING ADDRESS OF SENDER (Please do not use customer number)

JOHN T. GADD, WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,039,082 B2  
APPLICATION NO. : 10/725,871  
ISSUE DATE : May 2, 2006  
INVENTOR(S) : Stewart et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 60, change "standard there" to --standard, there--  
Line 61, change "standard there" to --standard, there--

Column 2

Line 40, change "result the" to --result, the--

Column 4

Line 39, after "0.34", change ":@" to --"--

Column 7

Line 51, change "FIG. 4" to --FIG. 6--

Column 11

Line 24, change "100" to --1000--  
Line 25, change "100" to --1000--

Column 12

Line 17, before "to about", change "C" to --C.--

MAILING ADDRESS OF SENDER (Please do not use customer number)

JOHN T. GADD, WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111